

POWEREX[®] Product Change Notification

QR____R30 Fast Recovery Diode Modules Last Time Buy Notification # : 2016-020 Rev.: 0



Date: 2016 / OCT / 21

Author: Ron Yurko

Subject of Change:

Powerex QR____R30 Fast Recovery Diode Modules, including the following parts:

- | | | | |
|--------------|--------------|--------------|--------------|
| • QRD0620R30 | • QRC0620R30 | • QRF0620R30 | • QRJ0620R30 |
| • QRD0630R30 | • QRC0630R30 | • QRF0630R30 | • QRJ0630R30 |
| • QRD0640R30 | • QRC0640R30 | • QRF0640R30 | • QRJ0640R30 |
| • QRD1220R30 | • QRC1220R30 | • QRF1220R30 | • QRJ1220R30 |
| • QRD1230R30 | • QRC1230R30 | • QRF1230R30 | • QRJ1230R30 |
| • QRD1240R30 | • QRC1240R30 | • QRF1240R30 | • QRJ1240R30 |

Description of Change:

Powerex will be discontinuing the production of the QR____R30 Fast Recovery Diode Modules. An opportunity for a last time buy (LTB) will be offered. There are no plans to offer replacement parts for these products.

Reason for Change:

This product type does not meet our requirements for the long term objectives for Powerex manufacturing.

Identification of Change:

This section is not applicable. A replacement product will not be offered.

Time Schedule for Change:

Please contact Powerex to negotiate your requirements and notify us of your intent to execute a last time purchase.

LTB Terms:

- Date for last order acceptance -- **December 31, 2016**
- Date for last order shipments -- **April 1, 2017**
- All LTB orders will be considered Non-Cancellable and Non-Returnable

Supporting Documentation:

Quality Management system:

Parts are validated and screened via the Youngwood, PA ISO 9001 / AS9100 quality system.

Continued on following page

POWEREX[®] Product Change Notification

Customer Approval for: PCN # 2016-020

- Please check the appropriate box and return this form to Powerex or our manufacturing representative within 30 days.
- According to JEDEC Standard JESD46, a lack of response to this product change notification within 30 days constitutes the customer's acceptance of the change.

We agree with this change and its schedule.

We have objection(s) as noted here:

We request additional information:

Customer:

Signature: